

35003-MS

NEMA 17 Dual Shaft Step Motor

MFG: LIN

P/N: 4218S-09D-04

NEMA: 17

COIL: ~3.5 ohm/0.9A

TYPE: Bi-Polar 4 lead

STEP ANGLE: 1.8 deg

Specifications/Features:

Custom motor with a 5mm dia. X 14mm steel Front shaft with Knurled tip.

5mm Dia. X 10mm steel Rear shaft.

4 corner mounting holes.


3in. Leads with 4 Pin mini connector

SQ: 1-5/8" **L:** 1-3/8" (Body) **WT:** .42



BiPOLAR

Dimension "A" Max	Model #	Amps/Phase	Torque oz-in	Torque N-m	Resistance Ohm/Phase	Inductance mH/Phase	Inertia oz-in ²	Weight Lbs.	Number of Leads
1.31" 33.3 mm	4218S-09	0.90	35.0	0.25	3.5	4.4	0.18	0.40	4




4 LEAD WIRES

	1	2	3	4
Color Code 1	Red	Blue	Green	Black
Bipolar Driver	A	\bar{A}	B	\bar{B}

Information including Drawings, Schematics, Links and Code (Software) Supplied or Referenced in this Document is supplied by MPJA inc. as a service to our customers and accuracy or usefulness is not guaranteed nor is it an Endorsement of any particular part, supplier or manufacturer. Use of information and suitability for any application is at users own discretion and user assumes all risk.

Information Subject to Change Without Notice

All rights are retained by the respective Owners/Author(s)



MARLIN P. JONES & ASSOC., INC.

P.O. Box 530400 Lake Park, FL 33403
 800-652-6733 FAX 561-844-8764
 WWW.MPJA.COM